

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FI	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
09/912,525	07/26/2001		Georg Strom	032492-010	6317	
27045	7590	06/09/2005		EXAM	EXAMINER	
ERICSSON 6300 LEGA		<b>a</b>	SHIN, KYUNG H			
M/S EVR C11				ART UNIT	PAPER NUMBER	
PLANO, TX 75024				2143		

DATE MAILED: 06/09/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

PTO-90C (Rev. 10/03)

	Application No.	Applicant(s)					
	09/912,525	STROM, GEORG					
Office Action Summary	Examiner	Art Unit					
	Kyung H. Shin	2143					
The MAILING DATE of this communication appeared for Reply	ears on the cover sheet with the c	orrespondence address					
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period we failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	6(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days ill apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONED	ely filed  will be considered timely.  the mailing date of this communication.  (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on 07 Fe	bruary 2005.	•					
2a)⊠ This action is <b>FINAL</b> . 2b)☐ This	This action is <b>FINAL</b> . 2b) This action is non-final.						
,	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
4) Claim(s) 1-17 is/are pending in the application.  4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1-17</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/or	election requirement.						
Application Papers							
9)☐ The specification is objected to by the Examiner		•					
10)⊠ The drawing(s) filed on <u>7/26/01</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Exa	aminer. Note the attached Office	Action or form PTO-152.					
Priority under 35 U.S.C. § 119		·					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a) All b) Some * c) None of:							
<ul> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> </ul>							
3. Copies of the certified copies of the priori	·						
application from the International Bureau							
* See the attached detailed Office action for a list of the certified copies not received.							
·	•						
Attachment(s)							
1) Notice of References Cited (PTO-892)  4) Interview Summary (PTO-413)							
<ul> <li>2) Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)</li> </ul>	Paper No(s)/Mail Da 5) Notice of Informal Pa	te atent Application (PTO-152)					
Paper No(s)/Mail Date	6) Other:	•					

Application/Control Number: 09/912,525 Page 2

Art Unit: 2143

#### **DETAILED ACTION**

### Response to Amendment

- 1. This action is responding to application papers dated 2/7/2005.
- 2. Claims 1 17 are pending. Claims 1 9, 11 16 have been amended. Claim 10 has been canceled. Claim 17 is new. Independent claims are 1, 11, 12 and 13.

## Response to Arguments

3. Applicant's arguments with respect to claims have been considered but are moot in view of the new ground(s) of rejection.

## Claim Rejection – 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 1, 2, 4, 5, 7 9, 11 14, 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Aziz et al. (US Patent No. 6,643,701) in view of Wall et al. (US

**Art Unit: 2143** 

Patent No. 6,223,289) and further in view of Brezak, Jr. et al. (US Patent No. 6,427,209).

Regarding Claim 1 (Currently Amended), Aziz discloses a method of establishing a connection between a first and a second terminal in a network via a server, wherein the first terminal is in non-permanent connection to the server comprising the steps of:

Aziz discloses communications utilizing a first and a second terminal. (see Aziz col. 3, lines 36-45: connection between first and second terminals utilizing a server)

Aziz does not specifically disclose an authentication protocol. However, Wall discloses:

- b) completing the connection to the second terminal during the authentication process; (see Wall col. 6, line 64 col. 7, line 2: authentication process between two systems completed, connection completed) and
- c) terminating the connection between the first and second terminal if the authentication fails. (see Wall col. 13, lines 48-60: terminate connection if authentication fails)

Neither Aziz nor Wall discloses a connection and authentication process within same communication. However, Brezak discloses:

a) simultaneously initiating a connection and authentication process between the first terminal and the server; (see Brezak col. 2, lines 13-21: access to pretransmitted data)

Art Unit: 2143

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Aziz to enable authentication processing capabilities as taught by Wall, and to combine transmissions of data over a network as taught by Brezak. One of ordinary skill in the art would be motivated to employ Wall in order to efficiently manage shared data between clients/servers in a network environment. (see Wall col. 1, lines 44-47: "... central stores of data and/or applications are accessed through a network by personal computer clients ... provides some administrative efficiency in maintaining the shared data. ... "), and to employ Brezak in order for rapid and efficient processing of client services by a network server (see Brezak col. 2, lines 13-21)

Regarding Claim 2 (Currently Amended), Aziz discloses the method according to claim 1, wherein the step of completing the connection to the second terminal further comprises the step of connecting the first terminal to the requested server before positive authentication of the first terminal. (see Aziz col. 2, lines 13-21: terminal/server connection can be established prior to authentication)

Regarding Claim 4 (Currently Amended), Aziz does not disclose a predetermined timeout value. However, Wall discloses the method according to claim 1, further comprising the step of withholding access to the requested server until positive

Art Unit: 2143

authentication when the <u>first terminal's</u> last attempt <u>at</u> authentication failed. (see Wall col. 15, lines 42-47: access withhold until authentication successful)

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Aziz to withhold access until positive authentication as taught by Wall. One of ordinary skill in the art would be motivated to employ Wall in order to efficiently manage shared data between clients/servers in a network environment. (see Wall col. 1, lines 44-47)

Regarding Claim 5 (Currently Amended), Aziz does not discloses a predetermined timeout value. However, Wall discloses the method according to claim 1, further comprising the step of withholding access to the server until the authentication process is finished if more than a predetermined time has passed since the last positive authentication. (see Wall col. 13, lines 3-12: timeout period has expired; access denied)

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Aziz to enable a timeout value for authentication attempts as taught by Wall. One of ordinary skill in the art would be motivated to employ Wall in order to efficiently manage shared data between clients/servers in a network environment. (see Wall col. 1, lines 44-47)

Regarding Claims 7 (Currently Amended), 8 (Currently Amended), 14 (Currently Amended), 17 (New), Aziz discloses the first terminal, server of claims 1, 11, 12,

**Art Unit: 2143** 

wherein the first terminal and the second terminal are computers, the network is a computer network and the server is a computer. (see Aziz col. 6, lines 6-10; col. 8, lines 9-12: terminals, server are computers communicating over a network)

Regarding Claim 9 (Currently Amended), Aziz discloses a <u>first terminal</u> and a server communications connection. (see Aziz col. 8, lines 9-12: terminal, server communicating over a network) Aziz does not disclose a communications path utilizing a modem. However, Wall discloses <u>the</u> method according to claim 8, wherein the communications path for first terminal is via a modem connected to the public telephone network and communications path for server is connected to the public telephone network through a modem in the form of a point of presence. (see Wall col. 4, lines 3-10: Internet Service Provider, point of presence system for access to the Internet)

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Aziz to enable a communications path utilizing a modem as taught by Wall. One of ordinary skill in the art would be motivated to employ Wall in order to efficiently manage shared data between clients/servers in a network environment. (see Wall col. 1, lines 44-47)

Regarding Claim 11 (Currently Amended), Aziz discloses a <u>first</u> terminal, in nonpermanent connection to a network, for establishing access to a second terminal via a <u>server coupled with the network</u>, the terminal comprising: Art Unit: 2143

- a) means for establishing a connection to the network and the server; (see Aziz col.
  - 3, lines 36-45; col. 8, lines 9-12: server communications over a network)
  - Neither Aziz nor Wall discloses a connection and authentication process within same communication. However, Brezak discloses:
- b) means for simultaneously sending authentication data for the first terminal and connection data for the second terminal to the server; (see Brezak col. 2, lines 13-21: access to pre-transmitted data)

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Wall to combine transmission of data over a network as taught by Brezak. One of ordinary skill in the art would be motivated to modify Wall in order for rapid and efficient processing of client services by a network server (see Brezak col. 2, lines 13-21)

Regarding to Claim 12 (Currently Amended), Aziz discloses a server in a network, the server comprising:

- a) means for establishing a connection with a <u>first</u> terminal; (see Aziz col. 3, lines 36-45: setup connection to first terminal)
- b) means for <u>receiving authentication data and</u> carrying out an authentication process <u>for the first terminal</u>; (see Aziz col. 5, lines 12-13; col. 9, lines 3-5: authentication token (i.e. data))

Page 8

prompt) obtained from first terminal)

Neither Aziz nor Wall discloses a connection and authentication process within same communication. However, Brezak discloses:

d) means for simultaneously receiving the connection information for the second terminal and the authentication data for the first terminal; (see Brezak col. 2, lines 13-21: access to pre-transmitted data) and

Aziz does not disclose an authentication history capability. However, Wall discloses authentication history:

e) means for connecting the first terminal to the second terminal prior to the

authentication of the first terminal, wherein the server can terminate the

connection prior to or during authentication according to the authentication

history of the first terminal. (see Wall col. 15, lines 42-47: number of attempts

(i.e. authentication history))

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Aziz to combine transmissions of data over a network as taught by Brezak, and to enable an authentication history capability as taught by Wall. One of ordinary skill in the art would be motivated to employ Brezak in order for rapid and efficient processing of client services by a network

server (see Brezak col. 2, lines 13-21), and to employ Wall in order to efficiently manage shared data between clients/servers in a network environment. (see Wall col. 1, lines 44-47)

Regarding to Claim 13 (Currently Amended), Aziz discloses a system for establishing access between a first terminal and a second terminal, wherein the first terminal is in non-permanent connection to a network, the system comprising:

the first terminal, which comprises:

- a) means for establishing a connection to the network and the server; (see Aziz col.
   3, lines 36-45: setup connection to network and server) and
   the server, which comprises:
  - i) means for establishing a connection with the first terminal; (see Aziz col.
     3, lines 36-45: setup connection to first terminal)
  - ii) means for receiving authentication data and for carrying out an authentication process for the first terminal; (see Aziz col. 5, lines 12-13; col. 9, lines 3-5: authentication token (i.e. data))
  - iii) means for prompting the first terminal for connection information for a second terminal; (see Aziz col. 3, lines 46-56: connection information (i.e. request, prompt) obtained from first terminal)
  - v) means for connecting the first terminal to the second terminal prior to authenticating the first terminal; (see Aziz col. 2, lines 13-21: terminal/server connection can be established prior to authentication)

Aziz does not disclose an authentication history capability. However, Wall discloses authentication history:

vi) means for terminating the connection to the second terminal prior to or during authentication of the first terminal according to the authentication history of the first terminal. (see Wall col. 15, lines 42-47: number of attempts (i.e. authentication history))

Neither Aziz nor Wall discloses a connection and authentication process within same communication. However, Brezak discloses:

- b) means for simultaneously sending authentication data and connection data

  for the second terminal to the server; (see Brezak col. 2, lines 13-21: access
  to pre-transmitted data)
- iv) means for simultaneously receiving the connection information for the second terminal and the authentication data for the first terminal; (see Brezak col. 2, lines 13-21: access to pre-transmitted data)

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Aziz to enable an authentication history capability as taught by Wall, and to combine transmissions of data over a network as taught by Brezak. One of ordinary skill in the art would be motivated to employ Wall in order to efficiently manage shared data between clients/servers in a network environment. (see Wall col. 1, lines 44-47), and

Art Unit: 2143

to employ Brezak in order for rapid and efficient processing of client services by a network server (see Brezak col. 2, lines 13-21)

6. Claims 3, 6, 15, 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Aziz-Wall-Brezak as applied to claim 1 above, and further in view of Jiang (US Patent No. 6,741,853).

Regarding Claims 3 (Currently Amended), 15 (Currently Amended), 16 (Currently Amended), Wall discloses a network connected system for authenticating a user and management services executing in the network on behalf of the user. Wall discloses a redundant capability for a backup network (proxy) server in the event of network (proxy) server failure. (see Wall col. 2, lines 57-60) Aziz discloses the first terminal and the second terminal utilizing a server. (see Aziz col. 3, lines 36-45: server, first terminal, second terminal communications) Neither Aziz nor Wall discloses the usage of a cell phone as a terminal device in a network environment. Jiang discloses the method, first terminal, server according to claims 1, 11, 12, wherein the first terminal and the second terminal are mobile phones, the network is a mobile phone network and the server is a Mobile Service Switching Center (MSC). (see Jiang col. 7, lines 12-17; col. 7, lines 23-26: cell (i.e. mobile) phone operating over a mobile services switching center)

Multiple types of microprocessor devices are used as an interface device for network access such as a personal computer, laptop computer, PDA, and a cell phone. An efficient network environment allows access for many types of interface access devices.

Art Unit: 2143

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Wall with the capability to use a cell phone as a network access device as taught by Jiang. One of ordinary skill in the art would be motivated to employ Jiang for rapid and efficient processing of client services by a wireless network server (see Jiang col. 6, lines 64)

Regarding Claim 6 (Currently Amended), Aziz does not discloses a predetermined threshold for failed authentication attempts. However, Wall discloses the method according to claim 3, further comprising the step of withholding access to the server until the authentication process is finished if more than a predetermined number of failed authentications are registered within a predetermined period of time. (see col. 15, lines 42-47: count threshold has been reached and timeout period expired; access denied)

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Aziz to establish a threshold count value for authentication attempts as taught by Wall. One of ordinary skill in the art would be motivated to employ Wall in order to efficiently manage shared data between clients/servers in a network environment. (see Wall col. 1, lines 44-47)

### **Conclusion**

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP

**Art Unit: 2143** 

§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kyung H. Shin whose telephone number is (571) 272-3920. The examiner can normally be reached on 9 am - 7 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David A. Wiley can be reached on (571) 272-3923. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2143

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

KHS

Kyung H Shin Patent Examiner Art Unit 2143

KHS June 3, 2005

BUNJOB JAROENCHONWANIT